



Shenzhen Dragon Bridge Technology Co.,Ltd

Web: [www.roadragon.com](http://www.roadragon.com) Email: [gps1@roadragon.com](mailto:gps1@roadragon.com)

# Car Loan Risk Control GPS

LTS-3YS + MT-009

version: V2.0



+





## 1. product function

### 1.1 LTS-3YS

- Long last battery 3 years
- Magnatic hidden installation
- Vibration alarm
- Displacement alarm
- Various work modes: rapid positioning, standard positioning and save electricity positioning.

### 1.2 MT009

- GSM 850/900/1800/1900MHz
- Voltage: 9-50V DC
- GPS location, GPRS timing report
- Inquires the position by SMS or mobilephone or PC
- Built-in vibration sensor, vehicle anti-theft
- ACC ignition signal detection, vehicle state hint
- Can remote control vehicle cut-off oil or electric
- Remote monitorin;
- Power cut-off alarm

## 2. Specifications

project	specification
Charging voltage	Not rechargeable
Built-in battery	4800 mAh (3.7V)
Volume	63mm*43 mm*28mm
Weight	130g
Operating temperature	-20° to 55° C
Working humidity	5% to 95% Non-condensing
GSM module	MT6261D quad-band GSM 850/900/1800/1900Mhz
GPS chip	TD1030 GPS+Beidou Dual-mode positioning chip



GPS sensitivity	-162Dbm
GPS frequency	L1, 1575.42 MHz
C/A code	1.023 MHz chip rate
Channels	56 channel all-in-view tracking
Position accuracy	10 meters, 2D RMS
Time accuracy	Satellite time 1 microsecond synchronization
Default data	WGS-84
maximum height	18,000 meters (60,000 feet) max.
Maximum speed	515 meters/second (1000 knots) max.
Maximum acceleration	Less than 4g
Instantaneous displacement	20 m/sec
Standby time	3 years (working once a day)
LED lights	2 LED lights show GPS, GSM status
Light tamper	yes

## 2.1 LTS-3YS

## 2.2 MT-009

project	specification
content	Specifications
Terminal size	76.6mm*27.1mm*15
weight	75g
network	GSM/GPRS
Network frequency band	850/900/1800/1900Mhz
GPS module	UBLOX
GPS sensitivity	-159dBm
GPS position accuracy	10m
First positioning time	Cold start 35-80s Warm start 35s Hot start 1s
working voltage	9—100V
Storage temperature	-40°C to +85°C
working temperature	-20°C to +55°C
humidity	5%--95% Non freezing



Shenzhen Dragon Bridge Technology Co., Ltd

Web: www.roadragon.com Email: gps1@roadragon.com



### 3. Platform

The GPS tracking platform combine with load data system

<http://61.155.106.98:8083>

account:LQKJ

code: 123456





Shenzhen Dragon Bridge Technology Co.,Ltd

Web:www.roadragon.com Email: gps1@roadragon.com



Real-time tracking

Function list

Set Geo-fence

Setting interface

#### 4. Application:

The vehicle loan business management system is a management solution that focuses on automobile loans. It connect with bank ,Lending company and Car rental company data system , cover with function customer data management, car loan business process control, auto loan interest calculation, GPS management, vehicle inventory management and statistical analysis. This solution can help companies effectively manage car loans, second-hand car mortgages, car cash, second-hand car cash, car pledge loans.



Shenzhen Dragon Bridge Technology Co.,Ltd


Web: [www.roadragon.com](http://www.roadragon.com) Email: [gps1@roadragon.com](mailto:gps1@roadragon.com)





Shenzhen Dragon Bridge Technology Co.,Ltd

Web:www.roadragon.com Email: gps1@roadragon.com



## 5. Cooperative organization

Cooperative organization including bank ,Lending company , Car rental company and Car 4s shop.

